



sylvac

Swiss manufacturer of precision measuring instruments since 1969

# μ PRICES\_12

Validity 31.12.2012

## S\_Dial WORK Advanced



**Customize** your digital indicators according to your task **in a few clicks**

## Summary

S_Cal PRO	2
S_Cal PRO μm NEW	3
S_Mike PRO	4-5
Set S_Mike PRO & S_Cal PRO	5
S_Dial WORK Basic NEW	6
S_Dial WORK Advanced NEW	7
S_Dial ONE	8
S_Dial S233 / S234	9
Syl_Connect	10
X_treme XT & XT 500	11
S_Depth PRO	12
Hi_Cal 150 / 300	13
S_Cal UL III	14
S_View D50S & D50S PRO	15





Swiss manufacturer of precision measuring instruments since 1969


sylvac

# S\_Cal PRO

€ 114.-

μ\_PRICES\_12

910.1502



910.1502



926.6721

€ 80.-



IP67

### Reinforced frame (3.5 mm)

Simple and intuitive functions (SIS)

**Automatic wake-up and sleeping mode**

Origin saved

**IP67 protection, even connected**

Specifications according to DIN 862

Order number	Measuring range	Price	Promo
910.1502	150	<del>127.-</del>	<b>114.-</b>
910.1522	200	194.-	
910.1532	300	233.-	
910.1511	150	<del>522.-</del>	<b>456.-</b>
910.2207		62.-	

## S\_Cal PRO mini pack

4 calipers S\_Cal PRO 150mm

Your GIFT «SWISS KNIFE EvoGrip»



FREE



910.2207



910.1511



926.6721

€ 80.-

S\_Cal PRO


MICRON

€ 184.-

910.9502

μ\_PRICES\_12

The first one μm resolution caliper in the world !



**Reinforced frame (3.5 mm)**

Simple and intuitive functions (SIS)

**Automatic wake-up and sleeping mode**

Origin saved

**IP67 protection, even connected**

15 μm max error up to 100mm / repeatability 4 μm up to 40mm

3 μm repeatability



**FREE**

with  
910.9511

Order number	Quantity	Measuring range	Price	Promo
910.9502	1	150	<del>208.-</del>	<b>184.-</b>
910.9511	3	150		<b>550.-</b>



Swiss manufacturer of precision measuring instruments since 1969

sylvac

## S\_Mike PRO

€ 284.-

μ\_PRICES\_12

903.0300

SIS Smart  
Intuitive  
System

IP67

USB



New thumble developed to improve the movement



926.6721

€ 80.-



IP67

## A wonder of Technology

Order number	Measuring range	Typ of anvils	Promo
903.0300	0-30	∅ 6.5 mm	284.-
903.0301	0-25	∅ 2 mm	423.-
903.0302	0-25	0.7 / 6.5 mm	589.-
903.0600	30-66	∅ 6.5 mm	417.-
903.0601	25-60	∅ 2 mm	597.-
903.0602	25-60	0.7 / 6.5 mm	764.-
903.1000	66-102	∅ 6.5 mm	528.-
903.1001	60-95	∅ 2 mm	700.-
903.1002	60-95	0.7 / 6.5 mm	866.-

### Simple and intuitive functions (SIS)

Automatic wake-up and sleeping mode

### Origin saved


IP67 protection, even connected

### Quick displacement (12mm/ rot.)

Non-rotating spindle

### Measuring force 5N or 10N

Specifications according to DIN 863



## S\_Mike PRO Ø2

903.0301



## S\_Mike PRO BLADE

903.0302



S\_Mike PRO Luxury set

€ 1'166.-

μ\_PRICES\_12

903.1300

Only 3 micrometers to cover 0-102 mm  
0-30, 30-66 and 66-102 mm

€ 459.-

910.1301

μ\_PRICES\_12

S\_Mike PRO / S\_Cal PRO



903.1300 Plastic case  
903.1301 Aluminium case

Order number	Measuring range	Promo
903.1300	0-102	1'166.-
903.1301	0-102	1'226.-
910.1301	150 / 0-30	459.-



910.1301 Aluminium case



Swiss manufacturer of precision measuring instruments since 1969

sylvac

# S\_Dial WORK

## BASIC

€ 228.-

μ\_PRICES\_12

805.1201

WATER RESISTANT




SIS

USB

MAX ERROR 4μm

SWISS MADE

Order number	Resolution	Measuring range	Promo
805.1201	0.01	12.5	228.-
* 805.1205	0.01	12.5	364.-
805.1301	0.001	12.5	340.-
805.1401	0.01	25	308.-
* 805.1405	0.01	25	388.-
805.1501	0.001	25	377.-
Order number	Description	Measuring range	Price
805.0214	Lifting device	12.5	39.-
805.0215	Lifting device	25	42.-



# New

## The new generation

New programmable technology according to your needs

Robust

IP67 protection, even connected

Programmable by PC

Max. error 4 μm (12.5mm) / 5 μm (25mm)

\*\* External power supply and data transfer using one cable only



### Setting by PC

S\_Dial WORK

ADVANCED

€ 338.-

805.5301

μ\_PRICES\_12



MAX ERROR 3μm



\*\*  
926.6821

€ 142.-



926.6721


€ 80.-



Optional lifter



805.5301



805.5305



IP67



Setting by PC

## The fully configurable

New programmable technology according to your needs

Robust

IP67 protection, even connected

Programmable by PC

Max. error 3 μm (12.5mm) / 4 μm (25mm)

\*\* External power supply and data transfer using one cable only \*\*

Broad choice of functions (MIN/MAX/DELTA, TOL, Factor, PRESET, AUTO OFF, etc.)

Order number	Resolution	Measuring range	Promo
805.5301	0.001	12.5	338.-
* 805.5305	0.001	12.5	429.-
805.5501	0.001	25	417.-
* 805.5505	0.001	25	476.-

Order number	Description	Measuring range	Price
805.0214	Lifting device	12.5	39.-
805.0215	Lifting device	25	42.-



Swiss manufacturer of precision measuring instruments since 1969

sylvac

# S\_Dial ONE

€ 204.-

μ\_PRICES\_12

905.0121

IP67

USB

MAX ERROR 5 μm



905.0151



905.0131

Integrated lifter  
in standard 12.5 / 25 mm



905.0171

\* 926.6821

€ 142.-

\*\* 905.0216  
Optional

926.6721

€ 80.-



Proximity  
& Power

## The Robusts built for the workshop

### Robust

Simple and intuitive functions (SIS)

**Automatic wake-up and sleeping mode**

Origin saved

**IP67 protection, even connected**

\* External power supply and data transfer using one cable only

**Large display**

Max. error 5 μm (12.5mm) / 6 μm (25mm)

\*\* Optional for S\_Dial ONE 50 mm

Order number	Resolution	Measuring range	Promo
905.0121	0.01	12.5	204.-
905.0131	0.001	12.5	256.-
905.0141	0.01	25	276.-
905.0151	0.001	25	340.-
905.0161	0.01	50	388.-
905.0171	0.001	50	452.-
905.0216 **		50	107.-



905.4121  
905.4511  
905.4521



905.4540



905.4321  
905.4322



926.6821

€ 142.-

## S\_Dial S233

€ 179.-

905.4121

μ\_PRICES\_12

IP65



## The Minis

**Compact, reduced size**

Measuring range 5 to 12.5 mm

**Analog display**

Automatic switch-off

**Choice of test indicators**

## S\_Dial S234

€ 247.-

μ\_PRICES\_12

905.4321

Order number	Resolution	Measuring range	Promo
905.4121	0.01	12.5	179.-
905.4125 *	0.01	12.5	224.-
905.4511	0.001	5	308.-
905.4521	0.001	12.5	268.-
905.4525 *	0.001	12.5	315.-
905.4540	0.001	5	387.-
905.4321	0.001	0.8	247.-
905.4322	0.001	0.5	315.-

\* With rubber boot, without lifting cap



# SylConnect

## The «Plug&Play» Software

€ 400.-

μ\_PRICES\_12

981.7110

- Up to 16 Sylvac handtools or dial gauges connected and displayed via USB
- Real-time reading




- **Multiple measurement captures:**  
actual, min/max, average etc.
- Sequential measurements with visual and audio sequence indication
- **SylConnect does support Inspection concepts by allowing users to associate a measurement profile to the inspection data**
- Configurable user interface
- **Multi operator operation,**  
the software is designed to identify independent measurement control device (footpedal) and notifications to support deployment of a single SylConnect system managing a number of connected operators, each performing independent measurements.
- Multiple language support and customization.
- **Windows XP and Windows 7 compatible.**

Order number	License quantity	Price
981.7110	1	400.-
981.7110	3	800.-
981.7110	5	1200.-

- **Designed for Touch Screen Device**
- Simplified Data Export into Spreadsheets
- **Automatic instrument management and monitoring**
- Various measurement modes:  
Direct reading, blind or timer based mode

## X\_Treme, the right investment in internal measurement



Order number	Measuring range	Price	Promo
955.1104	10-20	<del>2'036.-</del>	<b>1'520.-</b>
955.1105	20-50	<del>2'665.-</del>	<b>1'989.-</b>
955.1106	50-100	<del>2'982.-</del>	<b>2'227.-</b>
955.1114	6-20	<del>2'454.-</del>	<b>1'831.-</b>
955.1115	20-100	<del>4'421.-</del>	<b>3'300.-</b>
951.1103	6-10	<del>1'657.-</del>	<b>1'243.-</b>
951.1104	10-20	<del>2'011.-</del>	<b>1'502.-</b>
951.1105	20-50	<del>2'789.-</del>	<b>2'071.-</b>
951.1106	50-100	<del>3'084.-</del>	<b>2'304.-</b>
951.1111	300-400	<del>5'786.-</del>	<b>5'327.-</b>
951.1112	400-500	<del>6'786.-</del>	<b>6'547.-</b>
951.1113	300-500	<del>8'692.-</del>	<b>8'302.-</b>

**Set SXTH:** Digital measuring pistolgrip, heads and setting rings for the given range

**Set SXTD:** Digital measuring screw, heads and setting rings for the given range



0,001

### Measuring range 1 - 500 mm

Tungsten carbide anvils from 12.5 mm (X\_Treme)  
**Specifications of rings according to DIN 2250 / 2**  
UKAS certificates

Special executions on demand

## New

Measuring range up to 500 mm

## X\_TREME

**€ 1'243.-**

951.1103

μ\_PRICES\_12

IP65

USB





# S\_Depth PRO

Depth gauge

**€ 536.-**

μ\_PRICES\_12

805.6005



### Interchangeable anvils



805.6101



805.6102

### Additional bases



Base 180 mm



Base 260 mm



Base 320 mm

## Simple and efficient depth measurements

### Robust

Simple and intuitive functions (SIS)

### Automatic wake-up and sleeping mode

External power supply and data transfer using one cable only

Automatic detection of the measuring direction



805.6103 optional

Order number	Measuring range	Anvils typ	Price	Promo
805.6005	300	805.6101	<del>551.-</del>	536.-
805.6006	600	805.6101	<del>722.-</del>	707.-

Order number	Description	Price
805.6101	Standard anvil M2.5	64.-
805.6102	UP&DOWN anvil	87.-
805.6103	Anvil with Ø 4 mm pin	80.-



925.1142

€ 67.-

## Hi\_Cal 150 / 300

€ 2'634.-

830.0150

μ\_PRICES\_12

### Easy & Clever Interface

Order number	Measuring range	Price	Promo
830.0150	150	<del>3'512.-</del>	2'634.-
830.0300	300	<del>3'882.-</del>	2'874.-

A dream at this price !



New driving paddle system for a better control

### Quick Start

Easy and clever interface

**Extremely light, 3.9kg for 150mm range**

Small working space required



sylvac

Swiss manufacturer of precision measuring instruments since 1969

S\_Cal UL III



926.6621

€ 97.-

€ 1'137.-

μ\_PRICES\_12

911.1406



Measurement of large internal diameters (up to 3m)



Measuring force control



The Ultra Light UL III  
3 meters... 3 kg !

Order number	Measuring range	Weight kg	Promo
911.1406	600	1.3	1'137.-
911.1410	1000	1.6	1'221.-
911.1415	1500	2	1'825.-
911.1420	2000	2.3	2'528.-
911.1425	2500	2.6	3'580.-
911.1430	3000	3	3'996.-



Movable left jaw in standard from 1m

# The High Precision at low price


## Display units S\_View D50S & D50S PRO



Max error 0,6 μm on 10mm

Order number	Type	Price	Promo
804.1050	D50S	709.-	
804.1060 *	D50S PRO	792.-	
804.1060.01*	Set D50S PRO		1'688.-

\* High precision with 25 points calibration



S\_View

D50S & D50S PRO

€ 709.-

804.1050

μ\_PRICES\_12

Internal or external measurement with 2 probes





sylvac

Swiss manufacturer of precision measuring instruments since 1969

D300S



S\_Dial WORK  
Basic



D302a



Hi\_Gage ONE  
400 / 600  
coming soon

SYL1204-140

Changes without prior notice



SYLVAC SA Ch. du Cloalet 16 CH-1023-Crissier

Tél: +41 (0) 21 637 67 57 Fax: +41 (0) 21 637 67 40

E-mail: [vente@sylvac.ch](mailto:vente@sylvac.ch)

Web: [www.sylvac.ch](http://www.sylvac.ch)